

What Is Colorectal Cancer?

Colorectal cancer is cancer that occurs in the colon or rectum. Sometimes it is called colon cancer. The colon is the large intestine or large bowel. The rectum is the passageway that connects the colon to the anus.

Screening Saves Lives

Colorectal cancer is the second leading cancer killer in the United States, but it doesn't have to be. If you are 50 or older, getting a colorectal cancer screening test could save your life. Here's how:

- Colorectal cancer usually starts from precancerous polyps in the colon or rectum. A polyp is a growth that shouldn't be there.
- Over time, some polyps can turn into cancer.
- Screening tests can find precancerous polyps, so they can be removed before they turn into cancer.
- Screening tests also can find colorectal cancer early, when treatment works best.

Who Gets Colorectal Cancer?


- Both men and women can get it.
- It is most often found in people 50 or older.
- The risk increases with age.

Are You at Increased Risk?

Your risk for colorectal cancer may be higher than average if:

- You or a close relative have had colorectal polyps or colorectal cancer.
- You have inflammatory bowel disease, Crohn's disease, or ulcerative colitis.
- You have a genetic syndrome such as familial adenomatous polyposis (FAP) or hereditary nonpolyposis colorectal cancer.

People at increased risk for colorectal cancer may need earlier or more frequent tests than other people. Talk to your doctor about when to begin screening, which test is right for you, and how often you should be tested.



Colorectal Cancer Can Start With No Symptoms

Precancerous polyps and early-stage colorectal cancer don't always cause symptoms, especially at first. This means that someone could have polyps or colorectal cancer and not know it. That is why having a screening test is so important.

What Are the Symptoms?

Some people with colorectal polyps or colorectal cancer do have symptoms. They may include:

- Blood in or on your stool (bowel movement).
- Stomach pain, aches, or cramps that don't go away.
- Losing weight and you don't know why.

If you have any of these symptoms, talk to your doctor. They may be caused by something other than cancer. However, the only way to know is to see your doctor.

Types of Screening Tests

The U.S. Preventive Services Task Force recommends that adults aged 50–75 be screened for colorectal cancer. The decision to be screened after age 75 should be made on an individual basis. If you are aged 76–85, ask your doctor if you should be screened.

Several different screening tests can be used to find polyps or colorectal cancer. They include:

Stool Tests

Guaic-based Fecal Occult Blood Test (gFOBT): uses the chemical guaiac to detect blood in stool. At home you use a stick or brush to obtain a small amount of stool. You return the test to the doctor or a lab, where stool samples are checked for blood.

Fecal Immunochemical Test (FIT): uses antibodies to detect blood in the stool. You receive a test kit from your health care provider. This test is done the same way as gFOBT.

FIT-DNA Test (or Stool DNA test): combines the FIT with a test to detect altered DNA in stool. You collect an entire bowel movement and send it to a lab to be checked for cancer cells.

How Often: gFOBT Once a year. FIT Once a year. FIT-DNA once every one or three years.

Flexible Sigmoidoscopy

For this test, the doctor puts a short, thin, flexible, lighted tube into your rectum. The doctor checks for polyps or cancer inside the rectum and lower third of the colon.

How Often: Every five years, or every 10 years with a FIT every year.

Colonoscopy

Similar to flexible sigmoidoscopy, except the doctor uses a longer, thin, flexible, lighted tube to check for polyps or cancer inside the rectum and the entire colon. During the test, the doctor can find and remove most polyps and some cancers. Colonoscopy also is used as a follow-up test if anything unusual is found during one of the other screening tests.

How Often: Every 10 years.

CT Colonography (Virtual Colonoscopy)

Computed tomography (CT) colonography, also called a virtual colonoscopy, uses X-rays and computers to produce images of the entire colon. The images are displayed on a computer screen for the doctor to analyze.

How Often: Every five years.

Which Test is Right for You?

There is no single "best test" for any person. Each test has advantages and disadvantages. Talk to your doctor about which test or tests are right for you and how often you should be screened.

Free or Low-Cost Screening

Colorectal cancer screening tests may be covered by your health insurance policy without a deductible or co-pay. Where feasible, CDC's Colorectal Cancer Control Program grantees provides free or low-cost screenings to eligible men and women. To find out more visit www.cdc.gov/cancer/crccp/contact.htm.

The Bottom Line

If you're 50 or older, talk with your doctor about getting screened. For more information, visit www.cdc.gov/screenforlife or call 1-800-CDC-INFO (1-800-232-4636). For TTY, call 1-888-232-6348.



U.S. Department of
Health and Human Services
Centers for Disease
Control and Prevention



www.cdc.gov/screenforlife
1-800-CDC-INFO

